


WM Series

# WALL MOUNT DISPLAYS

Innovative displays of the future  
Sizes available in **32"-75"**



MODEL NAME	50" Vertical Wallmount Display
PANEL/DISPLAY SIZE	50"
SCREEN PROTECTION	-
MAXIMUM RESOLUTION	2160p (ULTRA HD)
ASPECT RATION	9:16
BRIGHTNESS (NITS)	300 CD/M SQUARE
VIEWING ANGLE	178° / 178° (H/V)
PCBA	HIKEEN 4K CARD
RAM/ROM	2GB/16GB
ANDROID VERSION	11.0 / 12.0
PLAY STORE	YES
SCREEN ROTATION	SUPPORTIED
MEDIA PLAY/SLIDESHOW	USB/PENDRIVE/FLASH MEMORY
PLAY OPTION	Via WEB INTERFACE Via FTP INTERFACE
USB INPUT/SD CARD SLOT	2/-
RJ45	1
SPEAKER	2 x 10 WATT
FULL LENGTH	64cm/25.1INCH
FULL HEIGHT	111.5cm/43.9INCH
WIDTH	3.2cm/1.2INCH
WEIGHT	8.5 kg (Approx.)
CABINET COLOR/ APPEARANCE	BLACK/ FRAMELESS



Launching  
Slim-line Series

**RJ**  
DIGITAL  
MARKETING  
SOLUTIONS



PRODUCT  
CATALOGUE

**RJ DIGITA BHARAT**

Address-K K Prestij Near Bhairavnath Mandir,  
Milkat No. 176/1 Narhe ,Pune 411041  
Mobile No-9325146568,9561686080

**Digital  
Signage**



MODEL NAME	Table Top Display
PANEL SIZE	24"
PANEL TYPE	a-Si TFT-LCD, CELL
DISPLAY AREA	52cm(V) x 29cm(H)
ASPECT RATIO	9:16
RESOLUTION	HD READY (1366X768p)
BRIGHTNESS	280 nits
CONTRAST RATIO	1200:1
RESPONSE TIME	<8ms
VIEWING ANGLES	178°/178°(H/V)
ORIENTATION	POTRAIT
EMBEDDED OS	11.0 / 12.0
RAM	1GB
STORAGE	8GB
MAIN BOARD	50WATT/1GB
VOLTAGE	100-240VAV, 50Hz/60Hz
SPEAKERS	5WATT X 2 BOX SPEAKERS
USB	2
LAN	RJ45 X 1
WIRELESS CONNECTIVITY	2.4G WIFI PORT
TEMPERATURE (°C)	-10°C to 40°C
HUMIDITY	<80% rh
SCREEN ROTATION	SUPPORTED
SPLIT SCREENS	SUPPORTED
TICKERS	SUPPORTED
LENGTH	36cm / 14.1inch
HEIGHT	61cm / 24.1 inch
WIDTH	5.8 / 2.3 inch
WEIGHT	8.50 KG (approx..)
COLORS	BLACK
POWER CABLE/CORD	1
REMOTE	2
USER MANUAL	1
REMARK	Special feautres varies according to model purchased

MODEL NAME	Lamp Display
PANEL SIZE	32"
PANEL TYPE	a-Si TFT-LCD, CELL
DISPLAY AREA	69.5cm(V) x 39.2cm(H)
ASPECT RATIO	9:16
RESOLUTION	FULL HD (1080p)
BRIGHTNESS	300 nits
CONTRAST RATIO	2000:1
RESPONSE TIME	<8ms
VIEWING ANGLES	178°/178°(H/V)
ORIENTATION	POTRAIT
EMBEDDED OS	11.0 / 12.0
RAM	1GB
STORAGE	8GB
MAIN BOARD	50WATT/1GB
VOLTAGE	100-240VAV, 50Hz/60Hz
SPEAKERS	10WATT X 2 BOX SPEAKERS
USB	2
LAN	RJ45 X 1
WIRELESS CONNECTIVITY	2.4G WIFI PORT
TEMPERATURE (°C)	-10°C to 40°C
HUMIDITY	<80% rh
SCREEN ROTATION	SUPPORTED
SPLIT SCREENS	SUPPORTED
TICKERS	SUPPORTED
LENGTH	48cm / 18.8inch
HEIGHT	100cm / 39.5 inch
WIDTH	5.8 / 2.3 inch
WEIGHT	11.85 KG (approx..)
COLORS	BLACK WHITE
POWER CABLE/CORD	1
REMOTE	2
USER MANUAL	1
REMARK	Special feautres varies according to model purchased

MODEL NAME	Digital Signage Display
PANEL SIZE	32"
PANEL TYPE	a-Si TFT-LCD, CELL
DISPLAY AREA	69.5cm(V) x 39.2cm(H)
ASPECT RATIO	9:16
RESOLUTION	FULL HD (1080p)
BRIGHTNESS	300 nits
CONTRAST RATIO	2000:1
RESPONSE TIME	<8ms
VIEWING ANGLES	178°/178°(H/V)
ORIENTATION	POTRAIT
EMBEDDED OS	11.0 / 12.0
RAM	1GB
STORAGE	8GB
MAIN BOARD	50WATT/1GB
VOLTAGE	100-240VAV, 50Hz/60Hz
SPEAKERS	10WATT X 2 BOX SPEAKERS
USB	2
LAN	RJ45 X 1
WIRELESS CONNECTIVITY	2.4G WIFI PORT
TEMPERATURE (°C)	-10°C to 40°C
HUMIDITY	<80% rh
SCREEN ROTATION	SUPPORTED
SPLIT SCREENS	SUPPORTED
TICKERS	SUPPORTED
LENGTH	46.5cm / 18.3inch
HEIGHT	144cm / 56.6 inch
WIDTH	5.3/ 2.1 inch
WEIGHT	21.6 KG (approx..)
COLORS	BLACK WHITE
POWER CABLE/CORD	1
REMOTE	2
USER MANUAL	1
REMARK	Special feautres varies according to model purchased

MODEL NAME	Digital Standee
PANEL/DISPLAY SIZE	32"
SCREEN PROTECTION	LED Display
MAXIMUM RESOLUTION	1080p (FULL HD)
ASPECT RATION	9:16
BRIGHTNESS (nits)	300 cd/m square
VIEWING ANGLE	178°/178°(H/V)
PCBA	(65 WATT)
RAM/ROM	1GB/8GB
ANDROID VERSION	11.0 / 12.0
PLAYSTORE	YES
SCREEN ROTATION	SUPPORTED
MEDIA PLAY / SLIDESHOW	Via USB / PENDRIVE /
PLAY OPTION	FLASH MEMORY Via LAN Via FTP
USB INPUT/ SD CARD SLOT	2
RJ45	1
SPEAKER	2 x 10watt
FULL LENGTH	48cm/18.8inch
FULL HEIGHT	158cm/62.5 inch
WIDTH	5.8cm/2.3inch
CABINET COLOR	White+Black/ Golden+Black
REMARK	

# 24"

24" TABLE TOP DISPLAY

# 32"

32" LAMP DISPLAY

# 32"

32" DIGITAL SIGNAGE DISPLAY

# 32"

32" DIGITAL STANDEE





MODEL NAME	Digital Standee
PANEL/DISPLAY SIZE	43"
SCREEN PROTECTION	LED Display
MAXIMUM RESOLUTION	1080p (FULL HD)
ASPECT RATION	9:16
BRIGHTNESS (nits)	300 cd/m square
VIEWING ANGLE	178°/178°(H/V)
PCBA	(65 WATT)
RAM/ROM	1GB/8GB
ANDROID VERSION	11.0 / 12.0
PLAYSTORE	YES
SCREEN ROTATION	SUPPORTED
MEDIA PLAY / SLIDESHOW	USB / PENDRIVE /
PLAY OPTION	FLASH MEMORY
	Via WEB INTERFACE
	Via FTP INTERFACE
USB INPUT	2
RJ45	1
SPEAKER	2 x 10watt
FULL LENGTH	56cm/22inch
FULL HEIGHT	97cm/38.2inch
WIDTH	5cm/2inch
WEIGHT	6 kg (approx..)
CABINET COLOR/APPEARANCE	BLACK / FRAMELESS

MODEL NAME	Digital Signage Display
PANEL SIZE	43"
SCREEN PROTECTION	ARMORED GLASS / NON GLASS
MAXIMUM RESOLUTION	1080p (FULL HD)
ASPECT RATION	9:16
BRIGHTNESS (NITS)	300 CD/M SQUARE
VIEWING ANGLE	178° / 178° (H/V)
PCBA	VIDEO SCAPE/HIKEEN
RAM/ROM	1GB/8GB
ANDROID VERSION	11.0 / 12.0
PLAY STORE	YES
SCREEN ROTATION	SUPPORTED
MEDIA PLAY/SLIDESHOW	USB/PENDRIVE/FLASH MEMORY
PLAY OPTION	Via CLOUD PLATFORM
USB INPUT/SD CARD SLOT	1
RJ45	2/1
SPEAKER	1
FULL LENGTH	2 x 10 WATT
FULL HEIGHT	64cm/25.2 INCH
WIDTH	186.5cm/2.55 INCH
WEIGHT	49 kg (Approx.)
CABINET COLOR	BLACK
REMARK	If Required CMS Card is also available

MODEL NAME	Digital Signage Display
PANEL/DISPLAY SIZE	50"
SCREEN PROTECTION	ARMORED GLASS / NON GLASS
MAXIMUM RESOLUTION	3840p (UHD 4k)
ASPECT RATION	9:16
BRIGHTNESS (nits)	320 cd/m square
VIEWING ANGLE	178°/178°(H/V)
PCBA	HIKEEN (108 WATT)
RAM/ROM	2GB/16GB
ANDROID VERSION	11.0 / 12.0
PLAYSTORE	YES
SCREEN ROTATION	SUPPORTED
MEDIA PLAY / SLIDESHOW	Via USB / PENDRIVE /
PLAY OPTION	FLASH MEMORY
	Via LAN
	Via FTP
USB INPUT/ SD CARD SLOT	2
RJ45	1
SPEAKER	2 x 10watt
FULL LENGTH	70cm/27.5inch
FULL HEIGHT	184cm/72.5inch
WIDTH	5.8cm/2.3inch
CABINET COLOR	BLACK+SILVER
REMARK	If Required CMS Card is also available **

MODEL NAME	Signage Display
PANEL/DISPLAY SIZE	55"
SCREEN PROTECTION	ARMORED GLASS / NON GLASS
MAXIMUM RESOLUTION	1920 X 1080p (FULL HD)
ASPECT RATION	9:16
BRIGHTNESS (nits)	300 cd/m square
VIEWING ANGLE	178°/178°(H/V)
PCBA	HIKEEN 4K CARD (118 w)
RAM/ROM	2GB/16GB
ANDROID VERSION	11.0 / 12.0
PLAYSTORE	YES
SCREEN ROTATION	SUPPORTED (0°, 90°, 180°, 270°)
MEDIA PLAY/ SLIDESHOW	Via USB / PENDRIVE /
PLAY OPTION	FLASH MEMORY
	Via CLOUD PLATFORM
	Via LEDART
USB INPUT/ SD CARD SLOT	2/1
RJ45	1
SPEAKER	2 x 10watt
FULL LENGTH	80.5cm/31.7inch
FULL HEIGHT	196.5cm/77.3inch
WIDTH	6.5cm/2.55inch
WEIGHT	62 kg (approx..)
CABINET COLOR	BLACK
REMARK	If Required CMS Card is also available **

# 43"

43" DIGITAL STANDEE



# 43"

43" DIGITAL SIGNAGE DISPLAY



# 50"

50" DIGITAL SIGNAGE DISPLAY



# 55"

55" SIGNAGE DISPLAY





MODEL NAME	Signage Display
PANEL/DISPLAY SIZE	65"
SCREEN PROTECTION	ARMORED GLASS
MAXIMUM RESOLUTION	3840p (UHD 4k)
ASPECT RATION	9:16
BRIGHTNESS (nits)	320 cd/m square
VIEWING ANGLE	178°/178°(H/V)
PCBA	TP.SK521/ power section seprate
RAM/ROM	2GB/16GB
ANDROID VERSION	11.0 / 12.0
PLAYSTORE	YES
SCREEN ROTATION	SUPPORTED
MEDIA PLAY / SLIDESHOW	Via USB/PENDRIVE/
PLAY OPTION	FLASH MEMORY Via LAN Via FTP
USB INPUT/ SD CARD SLOT	2
RJ45	1
SPEAKER	2 x 10watt
FULL LENGTH	70cm/27.5inch
FULL HEIGHT	184cm/72.5inch
WIDTH	5.8cm/2.3inch
CABINET COLOR	BLACK+SILVER
REMARK	If Required CMS Card is also available **

MODELNAME	Signage Display
PANEL/DISPLAY SIZE	75"
SCREEN PROTECTION	ARMORED GLASS
MAXIMUM RESOLUTION	2160p (ULTRA HD - 4K)
ASPECT RATION	9:16
BRIGHTNESS (nits)	450 cd/m square
VIEWING ANGLE	178°/178°(H/V)
PCBA	CMS Card/M.BOX/210WATT
RAM/ROM	4GB/32GB
ANDROID VERSION	11.0 / 12.0
PLAYSTORE	YES
SCREEN ROTATION	SUPPORTED
SPLIT SCREEN	SUPPORTED
TICKERS	SUPPORTED
MEDIA PLAY / SLIDESHOW	USB/PENDRIVE/FLASH MEMORY
PLAY OPTION	Via CLOUD PLATFORM Via LEDART
USB INPUT/ SD CARD SLOT	2/1
RJ45	1
SPEAKER	2 x 10watt
FULL LENGTH	100cm/39.4inch
FULL HEIGHT	205cm/80.8inch
WIDTH	7cm/2.75inch
WEIGHT	92 kg (approx..)
CABINET COLOR	BLACK

MODEL NAME	Commercial
PANEL SIZE	55"
PANEL TYPE	BOE/ a-Si TFT-LCD, LCM
DISPLAY AREA	120.96cm(H) x 68.04cm(v)
ASPECT RATIO	9:16 / 16:9
RESOLUTION	3840(RGB)x2160, Ultra HD 80PPI
BRIGHTNESS/LUMINOUS	600 nits
CONTRAST RATIO	1200:1
RESPONSE TIME	<8ms
VIEWING ANGLES	89°/89°/89°/89°(H/V)
ORIENTATION	LANDSCAPE/PORTAIT
EMBEDDED OS	11.0 / 12.0
RAM	2GB
STORAGE	32GB
VOLTAGE	100-240VAV, 50Hz/60Hz
SPEAKER OUTPUT	10WATT X 8 Ohm , Dynamicaly adjustable
USB	2
LAN	RJ45 X 1
WIRELESS CONNECTIVITY	2.4GHZ /5G WIFI PORT
TEMPERATURE (°C)	-10°C to 40°C
HUMIDITY	<80% rh
SCREEN ROTATION	SUPPORTED
SPLIT SCREENS	SUPPORTED
LENGTH	123.5cm / 48.6inch
HEIGHT	70.35cm / 27.7 inch
WIDTH/THICKNESS	3.3cm / 1.29inch
WEIGHT	16 Kg approx.
POWER CABLE/CORD	1
REMOTE	1
USER MANUAL	1
REMARK	Special feautres varies according to model purchased

# COMMERCIAL DISPLAYS

Innovative displays of the future  
 Sizes available in **43"-55"**



Made in India



24/7 Operation



High Brightness



In-Built CMS Software



USB Loop Play

## 65"

65" SIGNAGE DISPLAY



## 75"

75" SIGNAGE DISPLAY

